


# Connecting people. Connecting communities.

## **Transmittal**

CS Tr	ansmittal No. 2172					•		
То:	Hanson Tom SF Dept. of Building In: 1660 Mission Street, 2 <sup>t</sup> San Francisco, CA 94	spection Pro	om: oject No./Contrad sk No./Title: oject Phase:	ct No.:	John Funghi M544.1			
Date:	February 15, 2013	Su	bject:		Pagoda Theater Demo Dr	awings		
Sent via	a: ⊠ mail □ fax – <b>No</b> :	overnight		messe email -		elivered		
☐ min ☐ repo ☐ pres ☐ cd / ☐ spe ☑ half ☐ full- ☐ skei	ny of letter/memo nutes/agenda ort sentation / dvd crifications f-size drawings size drawings tches/maps/layouts erence material		mment form nents comments with response f incorporation		information/use action review/comment response to comment concurrence incorporation of comments verification signature acceptance/approval other	1	Due o	date:
Item No	•	<i>ion</i> Theater Demo Dra	wings			Rev. I	Vo.	Date
If enclosures are not as noted, kindly notify us at once.  Remarks: Attached demolition drawings of the Pagoda Theater for plan check approval.								
John F								
Progra	m Director							
AH:jn								
	Albert Hoe, SFMTA Ross Edwards, CSF Richard Redmond, (	(w/ attachmer	nts)					

CS File No. M544.1.5.4080



## **ABBREVIATIONS**

CAL OSHA CALIFORNIA OCCUPATIONAL SAFETY AND HEALTH CCSF CITY AND COUNTY OF SAN FRANCISCO DEPARTMENT OF BUILDING INSPECTION DEPARTMENT OF ENVIRONMENT DEPARTMENT OF PUBLIC WORKS DEPARTMENT OF PARKING AND TRAFFIC PACIFIC GAS & ELECTRIC SFMTA SAN FRANCISCO METROPOLITAN TRANSPORTATION AUTHORITY

SFPUC SAN FRANCISCO PUBLIC UTILITIES COMMISION USA NORTH UNDERGROUND SERVICE ALERT NORTH

### DRAWING INDEX

ID-16

SITE PLAN, ABBREVIATIONS AND DRAWING INDEX 10-01 GENERAL NOTES DEMOLITION PLAN BASEMENT LEVEL TD-10 DEMOLITION PLAN GROUND LEVEL 10-12 DEMOLITION PLAN SECOND LEVEL DEMOLITION PLAN THIRD LEVEL 10-13 DEMOLITION PLAN FOURTH LEVEL TD-14 TD-15 DEMOLITION PLAN ROOF

DEMOLITION PLAN SECTION

**ARUP** 

Arup North America Ltd. 560 Mission Street, Suite 700 San Francisco, CA 94105 USA Tel (415) 957 9445 Fax (415) 957 9096 www.arup.com

BARNARD / IMPREGILO HEALY JV 460 4TH STREET SAN FRANCISCO, CA 94107

BARNARD
IMPREGILO
HEALY ANTIVENTURE
CENTRAL SUBWAY CENTRAL SUBWAY RUNNING TUNNELS

PAGODA THEATER DEMOLITION PLAN SITE PLAN, ABBREVIATIONS PRELIMINARY AND DRAWING INDEX

NOT TO SCALE File Hame TD-00 DWG Oneven By FCM TD-00 219434

NO REVISION

Q1#€

#### NOTES

22x34

- 1. THESE DRAWINGS TAKE INTO ACCOUNT THE PARTICULAR INSTRUCTIONS AND REQUIREMENTS OF OUR CLIENT, BARNARD IMPRECILO SA HEALY JV., ON JANUARY SIM, 2013 IN CONVECTION WITH THE CENTRAL SUBWAY PROJECT, C1252 TUNNELING CONTRACT ("THE PROJECT"), AS PART OF THE PROJECT, THE SEMTA HAS ELECTED TO PURSUE THE DEMOLITION OF THE PAGODA THEATER LOCATED AT 1731-1741 POWELL STREET IN SAN FRANCISCO, CA IN ORDER TO CONSTRUCT A RETRIEVAL SHAFT FOR THE TUNNEL BORING MACHINES (TBMS) THAT WILL BE USED TO EXCAVATE THE TUNNELS. THESE DRAWINGS HAVE BEEN PREPARED FOR THE SOLE PURPOSE OF THE APPLICATION FOR THE PERMITTING PROCESS IN FEBRUARY 2013 REQUIRED BY THE OLFARTMENT OF BUILDING, INSPECTION (DBI) FOR THE DEMOLITION OF SAID BUILDING. THESE DRAWINGS ARE NOT INTENDED AND SHALL NOT BE USED FOR ANY OTHER PURPOSE. THESE ORAWINGS ARE NOT INTENDED FOR, AND SHALL NOT BE RELIED ON BY, ALLY THIRD PARTY AND NO RESPONSABILITY IS UNDERTAKEN TO ANY THIRD PARTY IN RELATION TO SAME. RELATION TO SAME.
- 2. ALL DEMOLITION WORK SHALL BE IN ACCORDANCE TO THE 2012 CALIFORNIA BUILDING CODE AND ITS AMENDMENTS, INCLUDING 2010 SAN FRANCISCO BUILDING CODE.
- 3. CONTRACTOR TO FOLLOW CAL OSHA CODES AND ORDINANCES AND LOCAL STANDARDS FOR ALL DENOLITION WORK SHOWN IN DRAWINGS AND SPECIFICATIONS.
- 4. CONTRACTOR IS RESPONSIBLE THAT DEMOLITION WORK TAKES PLACE IN PRIVATE PROPERTY OWNED LOT AND DOES NOT ENCROACH IN ADJACENT PRIVATELY OWNED LOTS UNLESS PERMITTED AND/OR AUTHORIZED IN VIRITING BY PROPERTY OWNER AND/OR THE APPROPRIATE CCSF AGENCY.
- OWNER AND/OR THE APPROPRIATE CCSF AGENCY.

  5. THE CONTRACTOR SHALL BE RESPONSIBLE FOR WORKING AROUND AND PROTECTING ALL EXISTING FACILITIES ADJACENT TO HIS WORK AREA. THESE FACILITIES WICLIDE BUT ARE NOT LIMITED TO THE FOLLOWING: EXISTING TO BE RETAINED BULDINGS, SIDEWALKS, TREES, HYDRANTS, UTILITY MANHOLES, MUNI POLES, VAULTS, UTILITY POLES, TRAFFIC SIGNAL FACILITIES, AND ADJACENT PROPERTIES AND STRUCTURES. CONTRACTOR SHALL REPAIR AND/OR REPLACE ANY AND ALL EXISTING FACILITIES, ITEMS, AND/OR ADJACENT PROPERTIES NOT SPECIFED FOR DEMOLITION THAT ARE DISTURBED OR DAMAGED AS A RESULT OF DEMOLITION ACTIVITIES TO A CONDITION EDUAL TO OR BETTER THAN ORIGINAL CONDITION AT NO ADDITIONAL COST TO THE CITY.
- 6. THE CONTRACTOR SHALL FIELD LOCATE ALL UTILITIES OF EVERY NATURE AND PROTECT UTILITIES THAT ARE TO REMAIN FROM DAMAGE DURING DEMOLITION
- CONTRACTOR SHALL PROVIDE CONSTRUCTION SITE FENCING OF GOOD QUALITY, CAPABLE OF SUPPORTING THE ACCIDENTAL APPLICATION OF THE WEIGHT OF AN ADULT WITHOUT COLLAPSE OR MAJOR DEFORMATION AND MAINTAIN PROPER BARRICAGES, RAILINGS, GUARDS, FLAGGING, LIGHTING, OR OTHER DEVICES, COMPLYING WITH LOCAL, STATE, AND FEDERAL CODES AND ORDINANCES AS NECESSARY FOR THE PROTECTION OF LIFE AND PROPERTY
- 8. DEMOLISHED NATERIAL SHALL BE LEGALLY DISPOSED AND/OR RECYCLED OFF THE SITE AS WORK PROGRESSES.
- 9. UNLESS SPECIFIED OTHERWISE THE WORD 'REMOVE" AS USED HEREIN MEANS
- 10. CONTRACTOR TO PERMIT USE OF ON-SITE CONCRETE CRUSHERS AS NEEDED THROUGH APPROPRIATE CITY AGENCIES AND COMPLY WITH ALL APPLICABLE MITIGATION MEASURES.
- 11. CONTRACTOR TO COMPLY WITH DOE ON-SITE DIVERSION AND RECYCLING REQUIREMENTS FOR CONSTRUCTION PROJECTS, INCLUDING PREPARATION OF IJECESSARY DOCUMENTS.
- 12. PEDESTRIAN AND VEHICLE PROTECTION COMPLYING WITH ANY AND ALL APPLICABLE COSF AGENCY AND DEPARTMENT REQUIREMENTS, INCLUDING BUT NOT LIMITED TO DPT AND OPW REQUIREMENTS, MUST BE PROVIDED BY CONTRACTOR. THE CONTRACTOR IS TO COORDINATE ALL NECESSARY SIDEWALK, LANE OR ROAD CLOSURES WITH COSF AGENCIES AND DEPARTMENTS PURSUANT TO THE COSF'S STANDARD SPECIFICATION REQUIREMENTS.
- 13. CONSIDERATION SHALL BE MADE FOR OPPORTUNITIES TO RECYCLE AND REUSE EXISTING BUILDING MATERIALS FOR NEW CONSTRUCTION PURPOSES. THE FOLLOWING ARE PRELIMINARY CONSIDERATIONS: CONCRETE, BRICK/MASONRY
- 14. THE CONTRACTOR SHALL PROVIDE ALL EQUIPMENT AND WORKMANSHIP FOR ALL DEMOUTION REQUIRED, HEREIN IN ACCORDANCE WITH ALL CITY, STATE AND FEDERAL CODES, ORDINANCES AND REQUIREMENTS AND ALL APPLICABLE SAFETY DEFINANCES. RECULATIONS.
- 15. THE CONTRACTOR SHALL PROVIDE TEMPORARY STREET LIGHTING AS NEEDED, AT ALL TIMES IN ACCORDANCE WITH THE COSF REQUIREMENTS
- 16. CONTRACTOR IS TO CONTACT DPT, CONCERNING ALL PARKING METERS TO BE REMOVED, IF NEEDED: A WRITTEN REQUEST FOR METER REMOVAL MAY BE
- 17. ALL WORK WITHIN THE PUBLIC RIGHT OF WAY TO COMPLY WITH ALL DPW REQUIREMENTS, THE CONTRACTOR IS TO COMPLY WITH THE MOST CURRENT VERSION OF THE SAN FRANCISCO BLUE BOOK.
- 18. CONTRACTOR TO PROVIDE PROTECTION FOR PEDESTRIANS CONSISTENT WITH ALL LOCAL, STATE AND FEDERAL CODES, INCLUDING THE AMERICANS WITH DISABILITIES ACT AND THE CALFORNIA BUILDING CODE, TITLE 24, INCLUDING 4-FOOT WIDE CLEAR PATH OF TRAVEL REQUIRED ON ANY SIDEWALK AT ALL TIMES: ANY SIDEWALK, STREET OR CROSSWALK CLOSURE SHALL REQUIRE SPECIAL TRAFFIC PERMIT FROM DPT
- 19. FOR ANY PARTIAL OR FULL SIDEWALK AND/OR STREET CLOSURES, CONTRACTOR TO COORDINATE WITH ALL AFFECTED PROPERTY OWNERS AND OBTAIN WRITTEN PERMISSION FROM DPT. IT IS REQUIRED TO MARITAIN ACCESS TO ALL BUSINESSES TO THE EXTENT FEASIBLE AT ALL TIMES, CONTRACTOR SHALL PERFORM DALLY CLEANING OF WORK AREAS FOR THE DURATION OF THE DEMOLITION WORKS.
- 20. CONTRACTOR IS SOLELY RESPONSIBLE FOR DESIGN OF ANY AND ALL TEMPORARY WALL AND FLOOR BRACING FOR PROTECTION AND/OR DEMOLITION.

- 21. PROVIDE NOISE AND DUST ABATEMENT AS REQUIRED TO PREVENT CONTAMINATION OF ADJACENT AREAS. THE CONTRACTOR MAY DEPLOY A HIGH PRESSURE WATER TRUCK TO CONTROL ALL DUST AT ALL TIMES AND COORDINATE OBTAINING SUITABLE DUST CONTROL WATER SOURCE FROM CITY AS NEEDED AS WELL AS TO OBTAIN NIGHT NOISE PERMIT FROM DPW AS NEEDED.
- 22. CONTRACTOR SHALL FOLLOW CAL OSHA AND LOCAL STANDARDS FOR FIRE PROTECTION AND PREVENTION WHEN HANDLING AND STORING FUELS AND OTHER FLAMMABLE MATERIALS DURING CONSTRUCTION, USE APPROPRIATE STORAGE OF FLAMMABLE LIQUIDS AND PROHIBIT OPEN FLAMES WITHIN 50 FEET OF FLAMMABLE STORAGE AREAS.
- 23. THE CONTRACTOR SHALL NOTIFY USA NORTH AND NON-USA-AFFILIATED UTILITIES AT LEAST 48 HOURS PRIOR TO DEMOLITION WORKS (1-800-227-2600).
- 24. CONTRACTOR TO SUBMIT TO THE DEPARTMENT OF BUILDING INSPECTION THE FOLLOWING:
  - THE SECUENCE OF OPERATION FLOOR BY FLOOR, PREPARED BY A REGISTER CIVIL ENGINEER OR LICENSED ARCHITECT.
  - 2. THE LOCATION OF STANDPIPES.
  - 3. THE LOCATION AND DETAILS OF PROTECTIVE CANOPIES.
  - 4. THE LOCATION OF TRUCK CRANE DURING OPERATION.
  - 5. ANY NECESSARY FENCE OR BARRICADE WITH LIGHTS.

#### SITE LOCATION

LOT BUILDING LOCATION INFORMATION FROM APCHITECTURAL TOPOGRAPHIC SURVEY PLAN, ASSESSOR'S BLOCK No. 0101, LOT No. 004, 1731–1741 POWELL STREET, PERFORMED BY TRANSAMERICAN ENGINEERS DATED AUGUST 21ST,

# **ARUP**

Aruo North America Ltd. 560 Mission Street, Suite 700 Sen Francisco, CA 94105 USA Tel (415) 957 9445 Fax (415) 957 9096 www.mup.com

RARNARD *IMPREGILO* HEALY "

BARNARD / IMPREGILO HEALY JV 460 4TH STREET SAN FRANCISCO, CA 94107

THIRD STREET LIGHT RAIL **PROGRAM PHASE 2 CENTRAL SUBWAY** RUNNING TUNNELS

PAGODA THEATER DEMOLITION PLAN **GENERAL NOTES** 

NOT TO SCALE TO-01 DWG PRELIMINARY Charked By LP/IH TD-01 219434

NO. REVISION . DATÉ

